

page 1/8
RETENTION BEADS LQUID

Printing date: August 26, 2019

SECTION 1. Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade Name:

RETENTION BEADS LQUID

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: **SHOFU DENTAL CORPORATION** Address: 1225 Stone Drive, San Marcos, CA 92078 USA

Toll Free: 1-800-827-4638 Phone: 760-736-3277 Fax: 760-736-3276

E-Mail: customer-service@shofu.com

Section in Charge: Quality Management & Regulatory Affairs

1.4 Emergency Telephone Number

For emergencies only. Call CHEMTREC: +1 703-741-5970 / 1-800-424-9300 (24 hours)

SECTION 2. Hazards identification

2.1 GHS Classification

PHYSICAL HAZARDS

FLAMMABLE LIQUIDS Category 2

HEALTH HAZARDS

ACUTE TOXICITY-INHALATION(VAPOURS)

ACUTE TOXICITY-INHALATION (DUST, MIST)

SKIN CORROSION/IRRITATION

EYE DAMAGE/IRRITATION

TOXIC TO REPRODUCTION

Category 2

Category 2

Category 2

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE)

Category 1 (respiratory system)
Category 2 (central nervous

system)

Category 3 (narcotic effects)

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE)

Category 1 (nervous system)
Category 2 (respiratory organ,

liver)

ENVIRONMENTAL HAZARD

HAZARDOUS TO THE AQUATIC ENVIRONMENT-ACUTE HAZARD

Category 2

The thing without mention is out of a classification object. Or cannot classify it.



page 2/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

2.2 Label elements SYMBOL:







GHS02

GHS06

GHS08

SIGNAL WORD: Danger

HAZARD STATEMENTS

Highly flammable liquid and vapor

Causes skin irritation

Causes serious eye irritation

Toxic if inhaled

May cause drowsiness or dizziness

Suspected of damaging fertility or the unborn child

Causes damage to organs (respiratory system)

May cause damage to organs (nervous system)

Causes damage to organs through prolonged or repeated exposure (nervous system)

May cause damage to organs through prolonged or repeated exposure (respiratory organ, liver)

Toxic to aquatic life

PRECAUTIONARY STATEMENTS

[Prevention]

Do not handle until all safety precautions have been read and understood.

Wear protective gloves and eye/face protection.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation occurs: Get medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

[Storage]

Store in a cool and dark area.



page 3/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

[Disposal]

Dispose of contents and container in accordance with regulation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

- 3.2 Description: Mixture of substances listed below with nonhazardous additions.
- 3.3 Dangerous components:

 Di-n-butyl phthalate [Cas No.84-74-2]
 10-30 %

 N-Butyl acetate [Cas No.123-86-4]
 30-50 %

 Ethyl acetate [Cas No.141-78-6]
 5-20 %

Other components:

Acrylic ester

Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get

medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

Foam, CO₂, Powder, Dry sand

5.2 Special hazards arising from the substance or mixture:

Easily flammable liquid in room temp.

Fire may produce irritating, corrosive and/or toxic gases.

5.3 Advice for firefighters:

Wear fire protective cloth and self-contained breathing apparatus, if necessary.



page 4/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

6.2 Environmental Precautions:

Send to approved treatment/disposal company or dispose according to local, state and federal regulations.

6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a stable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling:

Handle in a well ventilated place.

Keep away from open flames, sparks and sources of heat. No smoking.

Do not empty into drain.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well ventilated dark area, keep away from ignition sources.

7.3 Specific end use(s):

No further relevant information available.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Exposure limits:

	ACGIH (TLV)	OSHA (PEL)
Di-n-butyl phthalate	5 mg/m ³ (TWA)	5 mg/m ³ (TWA)
N-Butyl acetate	150 ppm (TWA),	150 ppm (TWA)
	200 ppm (STEL)	
Ethyl acetate	400 ppm (TWA), A4	400 ppm (TWA)

8.2 Exposure controls:

Respiratory Protection:

Protective mask

Skin Protection: Hand Protection

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times,

rates of diffusion and the degradation.



page 5/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: Colorless transparent liquid

Odour threshold Not determined. рН Not determined. Not determined. Melting point/freezing point Not determined. Boiling Point: < 3 °C (closed) Flash point: Evaporation rate Not determined. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: 0.9 (water=1) Solubility: water solubility Insoluble

Partition coefficient: n-octanol/water
Auto-ignition temperature

Decomposition temperature

Viscosity

Not determined.

Not determined.

Not determined.

Not determined.

Not applicable.

Oxidising properties

Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.



page 6/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Sunlight, Heating, High temperature.

10.5 Incompatible materials:

Strong acid and oxidizing materials.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Acute Tox. 3; H331 Toxic if inhaled.

Di-n-butyl phthalate;

Oral rat LD50 8 g/kg Skin rabbit LD50 > 20 g/kg Inhalation rat LC50 4250 mg/m 3

n-Butyl acetate;

Oral rat LD50 14.13 g/kg Dermal rabbit LD50 > 5 g/kg

Inhalation rat LC50 2000 ppm(vapor)

Ethyl acetate;

Oral rat LD50 4940 mg/kg Inhalation rat LC50 3658 ppm(vapor)

Skin corrosion/irritation: Skin Irrit. 2; H315 Causes skin irritation.

Eye damage/irritation: Eye Irrit. 2A; H319 Causes serious eye irritation.

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Repr. 2; H361 Suspected of damaging fertility or the unborn child.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

STOT SE 1; H370 Causes damage to organs (respiratory system). STOT SE 2; H371 May cause damage to organs (nervous system).

STOT SE 3; H336 May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure):

STOT RE 1; H372 Causes damage to organs through prolonged or

repeated exposure (nervous system).

STOT RE 2; H373 May cause damage to organs through prolonged or

repeated exposure (respiratory organ, liver)

Aspiration hazard: Based on available data, the classification criteria are not met.



page 7/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

SECTION 12. Ecological information

12.1 Toxicity:

Di-n-butyl phthalate; Data not yet available.

n-Butyl acetate; Harmful to aquatic organisms.

Fish toxicity;

Fish(Fathead minnow); LC50/96H 18 mg/L

Ethyl acetate; Fish toxicity;

Fish(Fathead minnow); LC50/96H 230 mg/L

Crustacea(Daphnia magna); LC50/24H 2500 mg/L

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

14.1 UN number: 1123

14.2 UN proper shipping name: Butyl acetate

14.3 Transport hazard class(es): 3 Flammable liquids

14.4 Packing group:

14.5 Environmental hazards: No further relevant information available.

14.6 Special precautions for user: Warning: Flammable liquids.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SECTION 15. Regulatory informati

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

NFPA ratings for USA (scale 0-4)



Heaith = 2Fire = 3Reactivity = 0



page 8/8 RETENTION BEADS LQUID

Printing date: August 26, 2019

HIVIIS-Ratings (Scale 0-4	୩S-Ratings (So	cale 0-4
---------------------------	----------------	----------

Health Hazard	2	Heaith = 2
Fire Hazard	3	Fire = 3
Reactivity	0	Reactivity = 0

Relevant phrases:

ini pinases	•
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to organs (respiratory organ).
H371	May cause damage to organs (nervous system).
H372	Causes damage to organs through prolonged or repeated exposure (nervous system).
H373	May cause damage to organs through prolonged or repeated exposure (respiratory organ, liver).
H401	Toxic to aquatic life.

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative